

**Amendments to the Claims:**

This clean version of the allowed claims will replace all prior versions and listings of the claims in the application.

**Listing of Allowed Claims:**

10. A method of making a coating comprising:  
providing a formaldehyde resin;  
providing a formaldehyde scavenger, the formaldehyde scavenger being a polyamide;  
combining the resin and scavenger;  
heating the resin and scavenger at a temperature in the range from about 450°F to about 650°F.
11. The method of claim 10, wherein the polyamide is a synthetic polyamide.
12. The method of claim 11, wherein the synthetic polyamide is selected from the group consisting essentially of polyacrylamides, polymethacrylamides, polyamide telomers, polyamide polymers, polyamide copolymers, polyamide terpolymers, polyamide tetrapolymers, N-substituted polyamides and combinations thereof.
13. The method of claim 10, wherein the polyamide is a protein.

14. The method of claim 11, wherein the protein is selected from the group consisting of casein, soy protein and combinations thereof.

15. The method of claim 10, wherein the formaldehyde resin is selected from the group consisting of melamine formaldehyde, urea formaldehyde, phenol formaldehyde and combinations thereof.

16. The method of claim 10, further including the components selected from the group consisting of catalysts, fillers, surfactants, buffers, viscosity controllers, pigments, flattening agents and combinations thereof.

17. The method of claim 15, wherein the catalyst comprises an acid catalyst.

18. The method of claim 10, wherein the coating comprises formaldehyde scavenger in an amount from about 3% to about 50% by dry weight based on the dry weight of the formaldehyde resin.